

## **Use of Food Restrictions to Prevent Infections in Paediatric Patients with Cancer and Haematopoietic Cell Transplantation Recipients: A Systematic Review and Clinical Practice Guideline**

### **COG Supportive Care Endorsed Guidelines**

Click [here](#) to see all the COG Supportive Care Endorsed Guidelines.

#### DISCLAIMER

**For Informational Purposes Only:** The information and contents offered in or in connection with the *Children's Oncology Group Supportive Care Endorsed Guidelines* (the "Guidelines") is provided only for informational purposes to children affected by cancer, their families and their health care providers. The Guidelines are not intended to substitute for medical advice, medical care, diagnosis or treatment obtained from doctors or other healthcare providers.

While the Children's Oncology Group tries to provide accurate and up-to-date information, the information in the Guidelines may be or may become out of date or incomplete. The information and guidelines may not conform to current standard of care, state-of-the art, or best practices for a particular disease, condition, or treatment. Some information in the Guidelines may be intended to be used by clinical researchers in special clinical settings or situations that may not apply to you, your child or your patient.

**Special Notice to cancer patients and their parents and legal guardians:** The Children's Oncology Group is a research organization and does not provide individualized medical care or treatment.

*The Guidelines are not intended to replace the independent clinical judgment, medical advice, screening, health counseling, or other intervention performed by your or your child's doctor or other healthcare provider. Please do not rely on this information exclusively and seek the care of a doctor or other medical professional if you have any questions regarding the Guidelines or a specific medical condition, disease, diagnosis or symptom.*

*Please contact "911" or your emergency services for any health emergency!*

**Special Notice to physicians and other healthcare providers:** This document is aimed specifically at members of the Children's Oncology Group or Member affiliates who have agreed to collaborate with the Children's Oncology Group in accordance with the relevant procedures and policies for study conduct and membership participation. Requirements and restrictions applicable to recipients of U.S. governmental funds or restrictions governing certain private donations may apply to the use and distribution of the Guidelines and the information contained herein.

The Guidelines are not intended to replace your independent clinical judgment, medical advice, or to exclude other legitimate criteria for screening, health counseling, or intervention for specific complications of childhood cancer treatment. The Guidelines provided are not intended as a sole source of guidance in the evaluation of childhood cancer patients. Nor are the Guidelines intended to exclude other reasonable alternative care. Specific patient care decisions are the prerogative of the patient, family and healthcare provider.

**Warranty or Liability Assumed by Children's Oncology Group and Related Parties:** While the Children's Oncology Group has tried to assure that the Guidelines are accurate and complete as of the date of publication, no warranty or representation, express or implied, is intended to be made in or with the Guidelines. No liability is assumed by the Children's Oncology Group or any affiliated party or member thereof for damage resulting from the use, review, or access of the Guidelines.

“Use of food restrictions to prevent infections in paediatric patients with cancer and haematopoietic cell transplantation recipients: a systematic review and clinical practice guideline”, developed by the Pediatric Oncology Group of Ontario, was endorsed by the COG Supportive Care Guidelines sub-Committee in June 2025.

The source guideline is published (Phillips R, Fisher BT, Ladas E, et al. Use of food restrictions to prevent infections in paediatric patients with cancer and haematopoietic cell transplantation recipients: a systematic review and clinical practice guideline. eClinical Med 2025; 81:103093.) and is available at: <https://doi.org/10.1016/j.eclinm.2025.103093>

The purpose of the source guideline is to provide to develop evidence-based recommendations on the use of food restrictions to prevent infections in pediatric patients being treated for cancer or undergoing hematopoietic cell transplant (HCT). The good practice statement and recommendations from the endorsed clinical practice guideline are presented in the tables below.

### **Good Practice Statement on the Use of Food Restrictions to Prevent Infections in Pediatric Patients with Cancer and Hematopoietic Cell Transplantation (HCT) Recipients**

<b>GOOD PRACTICE STATEMENT</b>
Follow practices for safe food handling, storing, preparation and consumption outlined by applicable health authorities.

### **Summary of Recommendations on the Use of Food Restrictions to Prevent Infections in Pediatric Patients with Cancer and Hematopoietic Cell Transplantation (HCT) Recipients**

<b>RECOMMENDATIONS</b>	<b>Strength of Recommendation and Quality of Evidence*</b>
<b>1. Should food restrictions be used to prevent infections in pediatric patients with cancer?</b>	
We suggest that food restrictions not be routinely used for the prevention of infections in paediatric patients with cancer.	Conditional recommendation Moderate quality evidence
<b>2. Should food restrictions be used to prevent infections in paediatric HCT recipients?</b>	
We suggest that food restrictions not be routinely used for the prevention of infections in paediatric autologous HCT and allogeneic HCT recipients.	Conditional recommendation Low quality evidence

\*see [Appendix 1](#)

## Appendix 1: Systems for Classifying Recommendations and Evidence used by the Source Clinical Practice Guidelines

### I. GRADE

#### Strength of Recommendations:

<b>Strong Recommendation</b>	When using GRADE, panels make strong recommendations when they are confident that the desirable effects of adherence to a recommendation outweigh the undesirable effects.
<b>Conditional Recommendation</b>	Conditional recommendations indicate that the desirable effects of adherence to a recommendation probably outweigh the undesirable effects, but the panel is less confident.

#### Strength of Recommendations Determinants:

Factor	Comment
Balance between desirable and undesirable effects	The larger the difference between the desirable and undesirable effects, the higher the likelihood that a strong recommendation is warranted. The narrower the gradient, the higher the likelihood that a weak recommendation is warranted
Quality of evidence	The higher the quality of evidence, the higher the likelihood that a strong recommendation is warranted
Values and preferences	The more values and preferences vary, or the greater the uncertainty in values and preferences, the higher the likelihood that a conditional recommendation is warranted
Costs (resource allocation)	The higher the costs of an intervention—that is, the greater the resources consumed—the lower the likelihood that a strong recommendation is warranted

#### Quality of Evidence

<b>High Quality</b>	Further research is very unlikely to change our confidence in the estimate of effect
<b>Moderate Quality</b>	Further research is likely to have an important impact on our confidence in the estimate of effect and may change the estimate
<b>Low Quality</b>	Further research is very likely to have an important impact on our confidence in the estimate of effect and is likely to change the estimate
<b>Very Low Quality</b>	Any estimate of effect is very uncertain

Guyatt, G.H., et al., *GRADE: an emerging consensus on rating quality of evidence and strength of recommendations*. BMJ, 2008; 336: 924-926.

Guyatt, G.H., et al., *GRADE: going from evidence to recommendations*. BMJ, 2008; 336: 1049-1051.